Author Index

A

Abboud RT: See Manning F

Ajemian SV: See Maitland ME

Andres PL: See Jette DU

Aprile I: See Padua L

B

Balkany TJ: See Rine RM

Beekman CE, Miller-Porter L, Schoneberger M. Energy cost of propulsion in standard and ultralight wheelchairs in people with spinal cord injuries. 1999;79:146–158.

Berls AT, McEwen IR. Battelle Developmental Inventory. 1999;79:776–783.

Binder-Macleod SA: See Lee SCK

Binkley JM, Stratford PW, Lott SA, et al. The Lower Extremity Functional Scale (LEFS): scale development, measurement properties, and clinical application. 1999;79:371–383.

Binkley JM: See Stratford PW

Blanton S, Wolf SL. An application of upper-extremity constraint-induced movement therapy in a patient with subacute stroke. 1999;79:847–853.

Boldrini A: See van der Heide JC

Brach JS, VanSwearingen JM. Author response to letter to the editor. [RE: Physical therapy for facial paralysis: a tailored treatment approach.] 1999;79:706.

Brach JS, VanSwearingen JM. Physical therapy for facial paralysis: a tailored treatment approach. 1999;79:397–404.

Branson R. Letter to the editor. [RE: Manipulation of the cervical spine: risks and benefits.] 1999;79:514, 516.

Brennan K. Letter to the editor. [RE: The clinical doctorate: a framework for analysis in physical therapist education.] 1999;79:981.

Brown DA, Kautz SA. Speed-dependent reductions of force output in people with poststroke hemiparesis. 1999;79:919–930.

Burns Y: See Jones A

C

Campbell SK. Thirtieth Mary McMillan Lecture: PT 2000: nurturing the profession. 1999;79:1058–1068.

Catlin PA: See Wolf SL

Chescheir NC: See Sparling JW

Choe BK: See Wilson DJ

Chok B, Lee R, Latimer J, Tan SB. Endurance training of the trunk extensor muscles in people with subacute low back pain. 1999;79:1032–1042.

Christiansen C: See DeSimone NA

Chung F, Dean E, Ross J. Cardiopulmonary responses of middle-aged men without cardiopulmonary disease to steady-rate positive and negative work performed on a cycle ergometer. 1999;79:476–487.

Cioni G: See van der Heide JC

Clapp A J: See Clapp LL

Clapp LL, Richardson MT, Smith JF, et al. Acute effects of thirty minutes of light-intensity, intermittent exercise on patients with chronic fatigue syndrome. 1999;79:749–756.

Clark CH: See Culav EM

Clark HA: See Holder NL

Clark TJ: See Rothstein JM

Commean PK: See Mueller MJ

Costigan P: See Kirkwood RN

Croarkin E. Osteopenia in the patient with cancer. 1999;79:196–201.

Culav EM, Clark CH, Merrilees M J. Connective tissues: matrix composition and its relevance to physical therapy. 1999;79:308–319.

Culham EG: See Daubney ME

Culham EG: See Kirkwood RN

D

Dal Bello-Haas V, Kloos AD, Mitsumoto H. Author response to letter to the editor. [RE: Physical therapy for a patient through six stages of amyotrophic lateral sclerosis.] 1999;79:423–424.

Daley K, Mayo N, Wood-Dauphinée S. Reliability of scores on the Stroke Rehabilitation Assessment of Movement (STREAM) measure. 1999;79:8–23.

Daubney ME, Culham EG. Lower-extremity muscle force and balance

performance in adults aged 65 years and older. 1999;79:1177–1185.

Davies HMS: See Wilson AW

Dean E: See Chung F

Dean E: See Manning F

DeSimone NA, Christiansen C, Dore D. Bactericidal effect of 0.95-mW helium-neon and 5-mW indium-gallium-aluminum-phosphate laser irradiation at exposure times of 30, 60, and 120 seconds on photosensitized *Staphlyococcus aureus* and *Pseudomonas aeruginosa* in vitro. 1999;79:839–846.

DiBlasio JM: See Holder NL

Di Fabio RP. Author response to letter to the editor. [RE: Manipulation of the cervical spine: risks and benefits.] 1999;79:516.

Di Fabio RP. Manipulation of the cervical spine: risks and benefits. 1999;79:50–65.

Dore D: See DeSimone NA

Doty AK, McEwen IR, Parker D, Laskin J. Effects of testing context on ball skill performance in 5-year-old children with and without developmental delay. 1999;79:818–826.

Dupont J: See Swan L

E

Eckert LB: See Henry KD

Edwards GA: See Wilson AW

Ellis E: See Shirley D

F

Fagerson TL: See Krebs DE

Ferslew KE: See Panus PC

Francis KT. Status of the year 2000 health goals for physical activity and fitness. 1999;79:405–414.

Freburger JK. An analysis of the relationship between the utilization of physical therapy services and outcomes for patients with acute stroke. 1999;79:906–918.

Freburger JK, Riddle DL. Measurement of sacroiliac joint dysfunction: a multicenter intertester reliability study. 1999;79:1133–1140.

Fritz JM. Letter to the editor. [RE: Sensitivity to change of the Roland-Morris Back Pain Questionnaire: part 1, and Sensitivity to change of the Roland-Morris Back Pain Questionnaire: part 2.] 1999;79:420–421.

G

Gaba BC: See Wilson DJ

Gage K: See Wolf SL

Gajdosik RL, Vander Linden DW, Williams AK. Influence of age on length and passive elastic stiffness characteristics of the calf muscle-tendon unit of women. 1999;79:827–838.

Galver J. Letter to the editor. [RE: The clinical doctorate: a framework for analysis in physical therapist education.] 1999;79:1084.

Gerdom ML: See Lee SCK

Gibson JK: See Wilson DJ

Glasoe WM, Yack HJ, Saltzman CL. Anatomy and biomechanics of the first ray. 1999;79:854–859.

Gray JC. Diagnosis of intermittent vascular claudication in a patient with a diagnosis of sciatica. 1999;79:582–590.

Grills BL: See Wilson AW

Gurucharri K: See Wolf SL

Guyatt GH: See Stratford PW

H

Harding L: See Holder NL

Hart DL. Letter to the editor. [RE: Cause, prevalence, and response to occupational musculoskeletal injuries reported by physical therapists and physical therapist assistants.] 1999;79:1084, 1086.

Hayes KW, Huber G, Rogers J, Sanders B. Author response to invited commentary. [RE: Behaviors that cause clinical instructors to question the clinical competence of physical therapist students.] 1999;79:670–671.

Hayes KW, Huber G, Rogers J, Sanders B. Behaviors that cause clinical instructors to question the clinical competence of physical therapist students. 1999;79:653–667.

Henkelmann T. Letter to the editor. [RE: Physical therapy for facial paralysis: a tailored treatment approach.] 1999;79:705.

Henry KD, Rosemond C, Eckert LB. Effect of number of home exercises on compliance and performance in adults over 65 years of age. 1999;79:270–277.

Hermans IMJ: See Kerssens JJ

Herrick A. Letter to the editor. [RE: The clinical doctorate: a framework for analysis in physical therapist education.] 1999;79:981.

Holder NL, Clark HA, DiBlasio JM, et al. Author response to letter to the editor. [RE: Cause, prevalence, and response to occupational musculoskeletal injuries reported by physical therapists and physical therapist assistants.] 1999;79:1086, 1088.

Holder NL, Clark HA, DiBlasio JM, et al. Cause, prevalence, and response to occupational musculoskeletal injuries reported by physical therapists and physical therapist assistants. 1999;79:642–652.

Holt KG, Ratcliffe R, Jeng SF. Head stability in walking in children with cerebral palsy and in children and adults without neurological impairment. 1999;79:1152–1162.

Huber G: See Hayes KW

Hughes CL: See Holder NL

I

Irwin S. Letter to the editor. [RE: Quadriceps femoris and hamstring muscle function in a person with an unstable knee.] 1999;79:702–703.

J

Jeng SF: See Holt KG

Jensen GM: See Threlkeld AJ

Jette DU, Slavin MD, Andres PL, Munsat TL. The relationship of lower-limb muscle force to walking ability in patients with amyotrophic lateral sclerosis. 1999;79:672–681.

Johnson JE: See Mueller MJ

Jones A, Jones RD, Kwong K, Burns Y. Effect of positioning on recorded lung sound intensities in subjects without pulmonary dysfunction. 1999;79:682–690.

Jones RD: See Jones A

K

Kao RL: See Panus PC

Kautz SA: See Brown DA

Kerssens JJ, Sluijs EM, Verhaak PFM, et al. Back care instructions in physical therapy: a trend analysis of individualized back care programs. 1999;79:286–295.

Kirkwood RN, Culham EG, Costigan P. Hip moments during level walking, stair climbing, and exercise in individuals aged 55 years or older. 1999;79:360–370.

Kloos AD: See Dal Bello-Haas V

Knibbe HJJ: See Kerssens JJ

Krebs DE, McGibbon CA, Fagerson TL. Invited commentary. [RE: An electromyographic study of the hip abductor muscles as subjects with a hip prosthesis walked with different methods of using a cane and carrying a load.] 1999;79:1174–1175.

Kwong K: See Jones A

L

Lai YL: See Lin KH

Laskin J: See Doty AK

Latimer J: See Chok B

Lechner DE. Response to letter to the editor. [RE: Detecting sincerity of effort: a summary of methods and approaches.] 1999;79:95–96.

Lee M: See Shirley D

Lee R: See Chok B

Lee SCK, Gerdom ML, Binder-Macleod SA. Effects of length on the catchlike property of human quadriceps femoris muscle. 1999;79:738–748.

Leo KC: See Shields RK

Levangie PK. Association of low back pain with self-reported risk factors amon patients seeking physical therapy services. 1999;79:757–766.

Levangie PK. Four clinical tests of sacroiliac joint dysfunction: the association of test results with innominate torsion among patients with and without low back pain. 1999;79:1043–1057.

Lin KH, Lai YL, Wu HD, et al. Cough threshold in people with spinal cord injuries. 1999;79:1026–1031.

Loney PL, Stratford PW. The prevalence of low back pain in adults: a methodological review of the literature. 1999;79:384–396.

Lopopolo RB. Hospital restructuring and the changing nature of the physical therapist's role. 1999;79:171–185.

Lott SA: See Binkley JM

M

Maitland ME, Ajemian SV, Suter E. Author response to letter to the editor. [RE: Quadriceps femoris and hamstring muscle function in a person with an unstable knee.] 1999;79:703–705.

Maitland ME, Ajemian SV, Suter E. Quadriceps femoris and hamstring muscle function in a person with an unstable knee. 1999;79:66–75.

Mandich MB. Letter to the editor. [RE: The clinical doctorate: a framework for analysis in physical therapist education.] 1999;79:982–985.

Manning F, Dean E, Ross J, Abboud RT. Effects of side lying on lung function in older individuals. 1999;79:456–466.

Martin JL. Letter to the editor. [RE: The clinical doctorate: a framework for analysis in physical therapist education.] 1999;79:979.

Mayo N: See Daley K

McComas J: See Rothstein JM

McEwen IR: See Berls AT

McEwen IR: See Doty AK

McGibbon CA: See Krebs DE

Mercer VS, Sahrmann SA. Postural synergies associated with a stepping task. 1999;79:1141–1151.

Merrilees MJ: See Culav EM

Messaros A. Letter to the editor. [RE: The clinical doctorate: a framework for analysis in physical therapist education.] 1999;79:981–982.

Messaros A J: See Shields RK

Miller-Porter L: See Beekman CE

Mitsumoto H: See Dal Bello-Haas V

Mostrom E. Invited commentary. [RE: Behaviors that cause clinical instructors to question the clinical competence of physical therapist students.] 1999;79:668–670.

Mueller M J, Smith KE, Commean PK, et al. Use of computed tomography and plantar pressure measurement for management of neuropathic ulcers in patients with diabetes. 1999;79:296–307.

Munsat TL: See Jette DU

N

Neumann DA. Author response to invited commentary. [RE: An electromyographic study of the hip abductor muscles as subjects with a hip prosthesis walked with different methods of using a cane and carrying a load.] 1999;79:1175–1176.

Neumann DA. An electromyographic study of the hip abductor muscles as subjects with a hip prosthesis walked with different methods of using a cane and carrying a load. 1999;79:1163–1173.

North American Orthopaedic Rehabilitation Research Network: See Binkley JM

Nussbaum EL. Low-intensity laser therapy for benign fibrotic lumps in the breast following reduction mammaplasty. 1999;79:691–698.

P

Padua L, Padua R, Aprile I, Tonali P. Letter to the editor. [RE: Manipulation of the cervical spine: risks and benefits.] 1999;79:1088.

Padua R: See Padua L

Panus PC, Ferslew KE, Tober-Meyer B, Kao RL. Ketoprofen tissue permeation in swine following cathodic iontophoresis. 1999;79:40–49.

Paolicelli PB: See van der Heide JC

Parker D: See Doty AK

Pieroni RE: See Clapp LL

Potter C: See Rothstein JM

Q

Quarrier NF. Letter to the editor. [RE: The clinical doctorate: a framework for analysis in physical therapist education.] 1999;79:979.

R

Ratcliffe R: See Holt KG

Reid N: See Sim J

Richardson JK. 1999 APTA Presidential Address: Leaders who inspire change. 1999;79:1069–1074.

Richardson MT: See Clapp LL

Riddle DL, Stratford PW. Interpreting validity indexes for diagnostic tests: an illustration using the Berg Balance Test. 1999;79:939–948.

Riddle DL: See Binkley JM

Riddle DL: See Freburger JK

Riddle DL: See Stratford PW

Rimmer JH. Health promotion for people with disabilities: the emerging paradigm shift from disability prevention to prevention of secondary conditions. 1999;79:495–502.

Rine RM, Schubert MC, Balkany TJ. Visual-vestibular habituation and balance training for motion sickness. 1999;79:949–957.

Robertson DD: See Mueller MJ

Robertson R: See Wolf SL

Rogers J: See Hayes KW

Rosemond C: See Henry KD

Ross J: See Chung F

Ross J: See Manning F

Rothstein JM. The clinical doctorate: the "best pathway"? [Introduction to letters to the editor: the DPT]. 1999;79:978.

Rothstein JM. Editor's Note: The curmudgeon finds good news! 1999;79:1120–1121.

Rothstein JM. Editor's Note: Fighting the *good* fight. 1999;79:904–905.

Rothstein JM. Editor's Note: The future we want; the future we get. 1999;79:544–545.

Rothstein JM. Editor's Note: Immelmann's indignation. 1999;79:1024–1025.

Rothstein JM. Editor's Note: Looking for the Forrest. 1999;79:454–455.

Rothstein JM. Editor's Note: My visit to the gynecologist. 1999;79:134–135.

Rothstein JM. Editor's Note: Promising what we can deliver. 1999;79:358–359.

Rothstein JM. Editor's Note: Section reorganization redux. 1999;79:736–737.

Rothstein JM. Editor's Note: The sensitive practitioner. 1999;79:246–247.

Rothstein JM. Editor's Note: "These magic moments." 1999;79:816–817.

Rothstein JM. Editor's Note: We walk the line. 1999;79:640–641.

Rothstein JM. Editor's Note: Whodunit? 1999;79:6–7.

Rothstein JM. Editor's response to letter to the editor. [RE: The clinical doctorate: a framework for analysis in physical therapist education.] 1999;79:1082, 1084.

Rothstein JM, Clark TJ, McComas J, Potter C. Conference. [RE: Toward sensitive practice: issues for physical therapists working with survivors of childhood sexual abuse.] 1999;79:262–268.

Roush SE, Sonstroem RJ. Development of the Physical Therapy Outpatient Satisfaction Survey (PTOPS). 1999;79:159–170.

Royeen CB: See Threlkeld AJ

Russek LN. Hypermobility syndrome. 1999;79:591–599.

S

Sahrmann SA: See Mercer VS

Saltzman CL: See Glasoe WM

Sanders B: See Hayes KW

Saunders R. Letter to the editor. [RE: Detecting sincerity of effort: a summary of methods and approaches.] 1999;79:94–95.

Schachter CL, Stalker CA, Teram E. Author comment on conference. [RE: Toward sensitive practice: issues for physical therapists working with survivors of childhood sexual abuse.] 1999;79:269.

Schachter CL, Stalker CA, Teram E. Toward sensitive practice: issues for physical therapists working with survivors of childhood sexual abuse. 1999;79:248–261.

Scherpf JW: See Holder NL

Schoneberger M: See Beekman CE

Schubert MC: See Rine RM

Shepard KF: See Holder NL

Shields RK, Leo KC, Messaros AJ, Somers VK. Effects of repetitive handgrip training on endurance, specificity, and cross-education. 1999;79:467–475.

Shirley D, Lee M, Ellis E. The relationship between submaximal activity of the lumbar extensor muscles and lumbar posteroanterior stiffness. 1999;79:278–285.

Sim J, Reid N. Statistical inference by confidence intervals: issues of interpretation and utilization. 1999;79:186–195.

Slavin MD: See Jette DU

Sluijs EM: See Kerssens JJ

Smith BK: See Wilson DJ

Smith JF: See Clapp LL

Smith KE: See Mueller MJ

Smith PS. Letter to the editor. [RE: Physical therapy for a patient through six stages of amyotrophic lateral sclerosis.] 1999;79:423.

Somers DL, Somers MF. Treatment of neuropathic pain in a patient with diabetic neuropathy using transcutaneous electrical nerve stimulation applied to the skin of the lumbar region. 1999;79:767–775.

Somers MF: See Somers DL

Somers VK: See Shields RK

Sonstroem R J: See Roush SE

Sparling JW, Van Tol J, Chescheir NC. Fetal and neonatal hand movement. 1999;79:24–39.

Stalker CA: See Schachter CL

Stephen K: See Wolf SL

Strand LI, Wie SL. The Sock Test for evaluating activity limitation in patients with musculoskeletal pain. 1999;79:136–145.

Stratford PW, Riddle DL, Binkley JM, Guyatt GH. Author response to letter to the editor. [RE: Sensitivity to change of the Roland-Morris Back Pain Questionnaire: part 1, and Sensitivity to change of the Roland-Morris Back Pain Questionnaire: part 2.] 1999;79:421–422.

Stratford PW: See Binkley JM

Stratford PW: See Loney PL

Stratford PW: See Riddle DL

Suter E: See Maitland ME

Swan L, Dupont J. Multiple system atrophy. 1999;79:488–494.

T

Tan SB: See Chok B

Tasso K. Letter to the editor. [RE: The clinical doctorate: a framework for analysis in physical therapist education and Editor's Note: The future we want; the future we get.] 1999;79:980–981.

Teram E: See Schachter CL

Thomas MW. Letter to the editor. [RE: The clinical doctorate: a framework for analysis in physical therapist education.] 1999;79:1082.

Threlkeld A J, Jensen GM, Royeen CB. Author response to letters to the editor. [RE: The clinical doctorate: a framework for analysis in physical therapist education.] 1999;79:986–990.

Threlkeld A J, Jensen GM, Royeen CB. The clinical doctorate: a framework for analysis in physical therapist education. 1999;79:567–581.

Tippett S. Letter to the editor. [RE: The clinical doctorate: a framework for analysis in physical therapist education and Editor's Note: The future we want; the future we get.] 1999;79:979–980.

Tober-Meyer B: See Panus PC

Tonali P: See Padua L

V

van der Heide JC, Paolicelli PB, Boldrini A, Cioni G. Kinematic and qualitative analysis of lower-extremity movements in preterm infants with brain lesions. 1999;79:546–557.

Vander Linden DW: See Gajdosik RL

VanSwearingen JM: See Brach JS

Van Tol J: See Sparling JW

Verhaak PFM: See Kerssens JJ

Voelz JT: See Wilson DJ

W

Wang M: See Clapp LL

Wang TQ: See Lin KH

Wang YH: See Lin KH

Wie SL: See Strand LI

Williams AK: See Gajdosik RL

Wilson AW, Davies HMS, Edwards GA, Grills BL. Can some physical therapy and manual techniques generate potentially osteogenic levels of strain within mammalian bone? 1999;79:931–938.

Wilson DJ, Smith BK, Gibson JK, et al. Accuracy of digitization using automated and manual methods. 1999;79:558–566.

Wolf SL, Catlin PA, Gage K, et al. Establishing the reliability and validity of measurements of walking time using the Emory Functional Ambulation Profile. 1999;79:1122–1132.

Wolf SL: See Blanton S

Wood-Dauphinée S: See Daley K

Wu HD: See Lin KH

Y

Yack HJ: See Glasoe WM

Yarasheski KE: See Zachwieja JJ

Z

Zachwieja JJ, Yarasheski KE. Does growth hormone therapy in conjunction with resistance exercise increase muscle force production and muscle mass in men and women aged 60 years or older? 1999;79:76–82.

Subject Index

A

Ambulation Aids

Canes

An electromyographic study of the hip abductor muscles as subjects with a hip prosthesis walked with different methods of using a cane and carrying a load. Neumann DA. 1999;79:1163–1173.

- Invited commentary. Krebs DE, McGibbon CA, Fagerson TL. 1999;79:1174–1175.
- Author response. 1999;79:1175–1176.

American Physical Therapy Association

Awards. 1999;79:868.

Bylaws. 1999;79:967–976.

Call for Nominations. 1999;79:872–873.

Code of Ethics. 1999;79:117.

Elected and Appointed Groups. 1999;79:869–871.

Goals. 1999;79:1090.

Guide for Conduct of the Affiliate Member. 1999;79:121–122.

Guide for Professional Conduct. 1999;79:118–120.

[Guide to Physical Therapist Practice. 1997;77:1163–1650.]

- Revisions. 1999;79:623–629, 1078–1081.

Member Liaisons to External Organizations. 1999;79:866.

Membership Qualifications. 1999;79:961–962.

Membership Rights. 1999;79:963.

Membership Statistics. 1999;79:621.

1999 APTA Presidential Address: Leaders who inspire change. Richardson JK. 1999;79:1069–1074.

Nominees for National Office. 1999;79:324.

Report of the House of Delegates. 1999;79:867.

- Correction. 1999;79:1082.

Standards of Ethical Conduct for the Physical Therapist Assistant. 1999;79:121.

Standards of Practice for Physical Therapy. 1999;79:114–117.

Standing Rules. 1999;79:964–966.

Thirtieth Mary McMillan Lecture: PT 2000: nurturing the profession. Campbell SK. 1999;79:1058–1068.

Anatomy

Anatomy and biomechanics of the first ray. Glasoe WM, Yack HJ, Saltzman CL. 1999;79:854–859.

Connective tissues: matrix composition and its relevance to physical therapy. Culav EM, Clark CH, Merrilees MJ. 1999;79:308–319.

B

Balance

Head stability in walking in children with cerebral palsy and in children and adults without neurological impairment. Holt KG, Ratcliffe R, Jeng SF. 1999;79:1152–1162.

Lower-extremity muscle force and balance performance in adults aged 65 years and older. Daubney ME, Culham EG. 1999;79:1177–1185.

Visual-vestibular habituation and balance training for motion sickness. Rine RM, Schubert MC, Balkany TJ. 1999;79:949–957.

C

Cardiac

General

An analysis of the relationship between the utilization of physical therapy services and outcomes for patients with acute stroke. Freburger JK. 1999;79:906–918.

Tests and Measurements

Cardiopulmonary responses of middle-aged men without cardiopulmonary disease to steady-rate positive and negative work performed on a cycle ergometer. Chung F, Dean E, Ross J. 1999;79:476–487.

Cerebral Palsy

Gait

Head stability in walking in children with cerebral palsy and in children and adults without neurological impairment. Holt KG, Ratcliffe R, Jeng SF. 1999;79:1152–1162.

Kinematic and qualitative analysis of lower-extremity movements in preterm infants with brain lesions. van der Heide JC, Paolicelli PB, Boldrini A, Cioni G. 1999;79:546–557.

Cerebrovascular Accident

Reliability of scores on the Stroke Rehabilitation Assessment of Movement (STREAM) measure. Daley K, Mayo N, Wood-Dauphinée S. 1999;79:8–23.

D

Diabetes

Treatment of neuropathic pain in a patient with diabetic neuropathy using transcutaneous electrical nerve stimulation applied to the skin of the lumbar region. Somers DL, Somers MF. 1999;79:767–775.

Use of computed tomography and plantar pressure measurement for management of neuropathic ulcers in patients with diabetes. Mueller MJ,

Smith KE, Commean PK, et al. 1999;79:296–307.

Diagnosis

Diagnosis of intermittent vascular claudication in a patient with a diagnosis of sciatica. Gray JC. 1999;79:582–590.

Interpreting validity indexes for diagnostic tests: an illustration using the Berg Balance Test. Riddle DL, Stratford PW. 1999;79:939–948.

E

Editor's Notes

Editor's Note: The curmudgeon finds good news! Rothstein JM. 1999;79:1120–1121.

Editor's Note: Fighting the *good* fight. Rothstein JM. 1999;79:904–905.

Editor's Note: The future we want; the future we get. Rothstein JM. 1999;79:544–545.

- Letter to the editor. Tippett S. 1999;79:979–980.
- Letter to the editor. Tasso K. 1999;79:980–981.

Editor's Note: Immelmann's indignation. Rothstein JM. 1999;79:1024–1025.

Editor's Note: Looking for the Forrest. Rothstein JM. 1999;79:454–455.

Editor's Note: My visit to the gynecologist. Rothstein JM. 1999;79:134–135.

Editor's Note: Promising what we can deliver. Rothstein JM. 1999;79:358–359.

Editor's Note: Section reorganization redux. Rothstein JM. 1999;79:736–737.

Editor's Note: The sensitive practitioner. Rothstein JM. 1999;79:246–247.

Editor's Note: "These magic moments." Rothstein JM. 1999;79:816–817.

Editor's Note: We walk the line. Rothstein JM. 1999;79:640–641.

Editor's Note: Whodunit? Rothstein JM. 1999;79:6–7.

Education: Patient/Family

Back care instructions in physical therapy: a trend analysis of individualized back care programs. Kerssens JJ, Sluijs EM, Verhaak PFM, et al. 1999;79:286–295.

Education: Physical Therapist

Clinical Education

Behaviors that cause clinical instructors to question the clinical competence of physical therapist students. Hayes KW, Huber G, Rogers J, Sanders B. 1999;79:653–667.

- Invited commentary. Mostrom E. 1999;79:668–670.
- Author response. 1999;79:670–671.

Professional

The clinical doctorate: a framework for analysis in physical therapist education. Threlkeld AJ, Jensen GM, Royeen CB. 1999;79:567–581.

- The clinical doctorate: the "best pathway"? [Introduction to letters to the editor: the DPT]. Rothstein JM. 1999;79:978.
- Letter to the editor. Martin JL. 1999;79:979.
- Letter to the editor. Quarrier NF. 1999;79:979.
- Letter to the editor. Tippett S. 1999;79:979–980.
- Letter to the editor. Tasso K. 1999;79:980–981.
- Letter to the editor. Herrick A. 1999;79:981.
- Letter to the editor. Brennan K. 1999;79:981.
- Letter to the editor. Messaros A. 1999;79:981–982.
- Letter to the editor. Mandich MB. 1999;79:982–985.
- Author response. 1999;79:986–990.
- Clarification. 1999;79:987.
- Letter to the editor. Thomas MW. 1999;79:1082.
- Editor's response. 1999;79:1082, 1084.
- Letter to the editor. Galver J. 1999;79:1084.

Editor's Note: The future we want; the future we get. Rothstein JM. 1999;79:544–545.

- Letter to the editor. Tippett S. 1999;79:979–980.
- Letter to the editor. Tasso K. 1999;79:980–981.

Editor's Note: Looking for the Forrest. Rothstein JM. 1999;79:454–455.

Electromyography

An electromyographic study of the hip abductor muscles as subjects with a hip prosthesis walked with different methods of using a cane and carrying a load. Neumann DA. 1999;79:1163–1173.

- Invited commentary. Krebs DE, McGibbon CA, Fagerson TL. 1999;79:1174–1175.
- Author response. 1999;79:1175–1176.

Postural synergies associated with a stepping task. Mercer VS, Sahrmann SA. 1999;79:1141–1151.

Quadriceps femoris and hamstring muscle function in a person with an unstable knee. Maitland ME, Ajemian SV, Suter E. 1999;79:66–75.

- Letter to the editor. Irwin S. 1999;79:702–703.
- Author response. 1999;79:703–705.

Electrotherapy

Electrical Stimulation

Effects of length on the catchlike property of human quadriceps femoris muscle. Lee SCK, Gerdom ML, Binder-Macleod SA. 1999;79:738–748.

Iontophoresis

Ketoprofen tissue permeation in swine following cathodic iontophoresis. Panus PC, Ferslew KE, Tober-Meyer B, Kao RL. 1999;79:40–49.

Energy Expenditure

Energy cost of propulsion in standard and ultralight wheelchairs in people with spinal cord injuries. Beekman CE, Miller-Porter L, Schoneberger M. 1999;79:146–158.

Equipment

Wheelchairs

Energy cost of propulsion in standard and ultralight wheelchairs in people with spinal cord injuries. Beekman CE, Miller-Porter L, Schoneberger M. 1999;79:146–158.

Exercise

General

Acute effects of thirty minutes of light-intensity, intermittent exercise on patients with chronic fatigue syndrome. Clapp LL, Richardson MT, Smith JF, et al. 1999;79:749–756.

Effect of number of home exercises on compliance and performance in adults over 65 years of age. Henry KD, Rosemond C, Eckert LB. 1999;79:270–277.

Speed-dependent reductions of force output in people with poststroke hemiparesis. Brown DA, Kautz SA. 1999;79:919–930.

F

Facial Paralysis

Physical therapy for facial paralysis: a tailored treatment approach. Brach JS, VanSwearingen JM. 1999;79:397–404.

- Letter to the editor. Henkelmann T. 1999;79:705.
- Author response. 1999;79:706.

Fatigue

Acute effects of thirty minutes of light-intensity, intermittent exercise on patients with chronic fatigue syndrome. Clapp LL, Richardson MT, Smith JF, et al. 1999;79:749–756.

Effects of length on the catchlike property of human quadriceps femoris muscle. Lee SCK, Gerdom ML, Binder-Macleod SA. 1999;79:738–748.

Effects of repetitive handgrip training on endurance, specificity, and cross-education. Shields RK, Leo KC, Messaros AJ, Somers VK. 1999;79:467–475.

Foundation for Physical Therapy

Scholarships, Fellowships, and Grants. 1999;79:604–605, 1011, 1092–1093, 1224–1225.

Functional Training and Activities

Effects of repetitive handgrip training on endurance, specificity, and cross-education. Shields RK, Leo KC, Messaros AJ, Somers VK. 1999;79:467–475.

Endurance training of the trunk extensor muscles in people with subacute low back pain. Chok B, Lee R, Latimer J, Tan SB. 1999;79:1032–1042.

G

Geriatrics

Does growth hormone therapy in conjunction with resistance exercise increase muscle force production and muscle mass in men and women aged 60 years or older? Zachwieja JJ, Yarasheski KE. 1999;79:76–82.

Effect of number of home exercises on compliance and performance in adults over 65 years of age. Henry KD, Rosemond C, Eckert LB. 1999;79:270–277.

Effects of side lying on lung function in older individuals. Manning F, Dean E, Ross J, Abboud RT. 1999;79:456–466.

Hip moments during level walking, stair climbing, and exercise in individuals aged 55 years or older. Kirkwood RN, Culham EG, Costigan P. 1999;79:360–370.

Lower-extremity muscle force and balance performance in adults aged 65 years and older. Daubney ME, Culham EG. 1999;79:1177–1185.

H

Health Care

Health promotion for people with disabilities: the emerging paradigm shift from disability prevention to prevention of secondary conditions. Rimmer JH. 1999;79:495–502.

I

Interprofessional Relations

Hospital restructuring and the changing nature of the physical therapist's role. Lopopolo RB. 1999;79:171–185.

K

Kinesiology/Biomechanics

Gait Analysis

Establishing the reliability and validity of measurements of walking time using the Emory Functional Ambulation Profile. Wolf SL, Catlin PA, Gage K, et al. 1999;79:1122–1132.

Hip moments during level walking, stair climbing, and exercise in individuals aged 55 years or older. Kirkwood RN, Culham EG, Costigan P. 1999;79:360–370.

Quadriceps femoris and hamstring muscle function in a person with an unstable knee. Maitland ME, Ajemian SV, Suter E. 1999;79:66–75.

- Letter to the editor. Irwin S. 1999;79:702–703.
- Author response. 1999;79:703–705.

The relationship of lower-limb muscle force to walking ability in patients with amyotrophic lateral sclerosis. Jette DU, Slavin MD, Andres PL, Munsat TL. 1999;79:672–681.

[Variability in spatiotemporal gait characteristics over the course of the L-dopa cycle in people with advanced Parkinson disease. MacKay-Lyons M. 1998;78:1083–1094.]

- Correction. 1999;79:96.

General

Postural synergies associated with a stepping task. Mercer VS, Sahrmann SA. 1999;79:1141–1151.

Lower Extremity

Anatomy and biomechanics of the first ray. Glasoe WM, Yack HJ, Saltzman CL. 1999;79:854–859.

L

Lower Extremity

Ankle and Foot

Anatomy and biomechanics of the first ray. Glasoe WM, Yack HJ, Saltzman CL. 1999;79:854–859.

General

Influence of age on length and passive elastic stiffness characteristics of the calf muscle-tendon unit of women. Gajdosik RL, Vander Linden DW, Williams AK. 1999;79:827–838.

Kinematic and qualitative analysis of lower-extremity movements in preterm infants with brain lesions. van der Heide JC, Paolicelli PB, Boldrini A, Cioni G. 1999;79:546–557.

The Lower Extremity Functional Scale (LEFS): scale development, measurement properties, and clinical application. Binkley JM, Stratford PW, Lott SA, et al. 1999;79:371–383.

Lower-extremity muscle force and balance performance in adults aged 65 years and older. Daubney ME, Culham EG. 1999;79:1177–1185.

Hip

Four clinical tests of sacroiliac joint dysfunction: the association of test results with innominate torsion among patients with and without low back pain. Levangie PK. 1999;79:1043–1057.

Hip moments during level walking, stair climbing, and exercise in individuals aged 55 years or older. Kirkwood RN, Culham EG, Costigan P. 1999;79:360–370.

Measurement of sacroiliac joint dysfunction: a multicenter intertester reliability study. Freburger JK, Riddle DL. 1999;79:1133–1140.

Knee

Quadriceps femoris and hamstring muscle function in a person with an unstable knee. Maitland ME, Ajemian SV, Suter E. 1999;79:66–75.

- Letter to the editor. Irwin S. 1999;79:702–703.
- Author response. 1999;79:703–705.

M

Manual Therapy

Can some physical therapy and manual techniques generate potentially osteogenic levels of strain within mammalian bone? Wilson AW, Davies HMS, Edwards GA, Grills BL. 1999;79:931–938.

Manipulation of the cervical spine: risks and benefits. Di Fabio RP. 1999;79:50–65.

- Letter to the editor. Branson R. 1999; 79:514, 516.
- Author response. 1999;79:516.
- Letter to the editor. Padua L, Padua R, Aprile I, Tonali P. 1999;79:1088.

Medical Conditions

Hypermobility syndrome. Russek LN. 1999;79:591–599.

Osteopenia in the patient with cancer. Croarkin E. 1999;79:196–201.

Motor Activity

Speed-dependent reductions of force output in people with poststroke hemiparesis. Brown DA, Kautz SA. 1999;79:919–930.

[Variability in spatiotemporal gait characteristics over the course of the L-dopa cycle in people with advanced Parkinson disease. MacKay-Lyons M. 1998;78:1083–1094.]

- Correction. 1999;79:96.

Movement Science

Accuracy of digitization using automated and manual methods. Wilson DJ, Smith BK, Gibson JK, et al. 1999;79:558–566.

An application of upper-extremity constraint-induced movement therapy in a patient with subacute stroke. Blanton S, Wolf SL. 1999;79:847–853.

Fetal and neonatal hand movement. Sparling JW, Van Tol J, Chescheir NC. 1999;79:24–39.

Kinematic and qualitative analysis of lower-extremity movements in preterm infants with brain lesions. van der Heide JC, Paolicelli PB, Boldrini A, Cioni G. 1999;79:546–557.

Visual-vestibular habituation and balance training for motion sickness. Rine RM, Schubert MC, Balkany TJ. 1999;79:949–957.

Muscle Performance

General

Does growth hormone therapy in conjunction with resistance exercise increase muscle force production and muscle mass in men and women aged 60 years or older? Zachwieja JJ, Yarasheski KE. 1999;79:76–82.

Lower Extremity

Effects of length on the catchlike property of human quadriceps femoris muscle. Lee SCK, Gerdom ML, Binder-Macleod SA. 1999;79:738–748.

An electromyographic study of the hip abductor muscles as subjects with a hip prosthesis walked with different methods of using a cane and carrying a load. Neumann DA. 1999;79:1163–1173.

- Invited commentary. Krebs DE, McGibbon CA, Fagerson TL. 1999;79:1174–1175.
- Author response. 1999;79:1175–1176.

Influence of age on length and passive elastic stiffness characteristics of the calf muscle-tendon unit of women. Gajdosik RL, Vander Linden DW, Williams AK. 1999;79:827–838.

Lower-extremity muscle force and balance performance in adults aged 65 years and older. Daubney ME, Culham EG. 1999;79:1177–1185.

Quadriceps femoris and hamstring muscle function in a person with an unstable knee. Maitland ME, Ajemian SV, Suter E. 1999;79:66–75.

- Letter to the editor. Irwin S. 1999;79:702–703.
- Author response. 1999;79:703–705.

The relationship of lower-limb muscle force to walking ability in patients with amyotrophic lateral sclerosis. Jette DU, Slavin MD, Andres PL, Munsat TL. 1999;79:672–681.

Speed-dependent reductions of force output in people with poststroke hemiparesis. Brown DA, Kautz SA. 1999;79:919–930.

Trunk

Endurance training of the trunk extensor muscles in people with subacute low back pain. Chok B, Lee R, Latimer J, Tan SB. 1999;79:1032–1042.

The relationship between submaximal activity of the lumbar extensor muscles and lumbar posteroanterior stiffness. Shirley D, Lee M, Ellis E. 1999;79:278–285.

Upper Extremity

Effects of repetitive handgrip training on endurance, specificity, and cross-education. Shields RK, Leo KC, Messaros AJ, Somers VK. 1999;79:467–475.

Musculoskeletal Injury

Cause, prevalence, and response to occupational musculoskeletal injuries reported by physical therapists and physical therapist assistants. Holder NL, Clark HA, DiBlasio JM, et al. 1999;79:642–652.

- Letter to the editor. Hart DL. 1999; 79:1084, 1086.
- Author response. 1999;79:1086, 1088.

N

Neck and Trunk

Back

Association of low back pain with self-reported risk factors among patients seeking physical therapy services. Levangie PK. 1999;79:757–766.

Back care instructions in physical therapy: a trend analysis of individualized back care programs. Kerssens JJ, Sluijs EM, Verhaak PFM, et al. 1999;79:286–295.

[Detecting sincerity of effort: a summary of methods and approaches. Lechner DE, Bradbury SF, Bradley LA. 1998;78:867–888.]

- Letter to the editor. Saunders R. 1999;79:94–95.
- Author response. 1999;79:95–96.

Endurance training of the trunk extensor muscles in people with subacute low back pain. Chok B, Lee R, Latimer J, Tan SB. 1999;79:1032–1042.

Four clinical tests of sacroiliac joint dysfunction: the association of test results with innominate torsion among patients with and without low back pain. Levangie PK. 1999;79:1043–1057.

Manipulation of the cervical spine: risks and benefits. Di Fabio RP. 1999;79:50–65.

- Letter to the editor. Branson R. 1999; 79:514, 516.
- Author response. 1999;79:516.
- Letter to the editor. Padua L, Padua R, Aprile I, Tonali P. 1999;79:1088.

The prevalence of low back pain in adults: a methodological review of the literature. Loney PL, Stratford PW. 1999;79:384–396.

[Sensitivity to change of the Roland-Morris Back Pain Questionnaire: part 1.

Stratford PW, Binkley JM, Riddle DL, Guyatt GH. 1998;78:1186–1196.]

- Letter to the editor. Fritz JM. 1999;79:420–421.
- Author response. 1999;79:421–422.

[Sensitivity to change of the Roland-Morris Back Pain Questionnaire: part 2. Riddle DL, Stratford PW, Binkley JM. 1998;78:1197–1207.]

- Letter to the editor. Fritz JM. 1999;79:420–421.
- Author response. 1999;79:421–422.

Neuromuscular Disorders

General

[Physical therapy for a patient through six stages of amyotrophic lateral sclerosis. Dal Bello-Haas V, Kloos AD, Mitsumoto H. 1998;78:1312–1323.]

- Letter to the editor. Smith PS. 1999;79:423.
- Author response. 1999;79:423–424.

Physical therapy for facial paralysis: a tailored treatment approach. Brach JS, VanSwearingen JM. 1999;79:397–404.

- Letter to the editor. Henklemann T. 1999;79:705.
- Author response. 1999;79:706.

The relationship of lower-limb muscle force to walking ability in patients with amyotrophic lateral sclerosis. Jette DU, Slavin MD, Andres PL, Munsat TL. 1999;79:672–681.

Use of computed tomography and plantar pressure measurement for management of neuropathic ulcers in patients with diabetes. Mueller MJ, Smith KE, Commean PK, et al. 1999;79:296–307.

Parkinson Disease

Multiple system atrophy. Swan L, Dupont J. 1999;79:488–494.

[Variability in spatiotemporal gait characteristics over the course of the L-dopa cycle in people with advanced Parkinson disease. MacKay-Lyons M. 1998;78:1083–1094.]

- Correction. 1999;79:96.

O

Orthopedics

Fractures

Hip moments during level walking, stair climbing, and exercise in individuals aged 55 years or older. Kirkwood RN, Culham EG, Costigan P. 1999;79:360–370.

General

Can some physical therapy and manual techniques generate potentially osteogenic levels of strain within mammalian bone? Wilson AW, Davies HMS, Edwards GA, Grills BL. 1999;79:931–938.

Hypermobility syndrome. Russek LN. 1999;79:591–599.

Orthoses/Splints/Casts

Lower Extremity

An electromyographic study of the hip abductor muscles as subjects with a hip prosthesis walked with different methods of using a cane and carrying a load. Neumann DA. 1999;79:1163–1173.

- Invited commentary. Krebs DE, McGibbon CA, Fagerson TL. 1999;79:1174–1175.
- Author response. 1999;79:1175–1176.

P

Pain

Association of low back pain with self-reported risk factors among patients seeking physical therapy services. Levangie PK. 1999;79:757–766.

Back care instructions in physical therapy: a trend analysis of individualized back care programs. Kerssens JJ, Sluijs EM, Verhaak PFM, et al. 1999;79:286–295.

[Detecting sincerity of effort: a summary of methods and approaches. Lechner DE, Bradbury SF, Bradley LA. 1998;78:867–888.]

- Letter to the editor. Saunders R. 1999;79:94–95.
- Author response. 1999;79:95–96.

Diagnosis of intermittent vascular claudication in a patient with a diagnosis of sciatica. Gray JC. 1999;79:582–590.

Endurance training of the trunk extensor muscles in people with subacute low back pain. Chok B, Lee R, Latimer J, Tan SB. 1999;79:1032–1042.

Four clinical tests of sacroiliac joint dysfunction: the association of test results with innominate torsion among patients with and without low back pain. Levangie PK. 1999;79:1043–1057.

The prevalence of low back pain in adults: a methodological review of the literature. Loney PL, Stratford PW. 1999;79:384–396.

[Sensitivity to change of the Roland-Morris Back Pain Questionnaire: part 1. Stratford PW, Binkley JM, Riddle DL, Guyatt GH. 1998;78:1186–1196.]

- Letter to the editor. Fritz JM. 1999;79:420–421.
- Author response. 1999;79:421–422.

[Sensitivity to change of the Roland-Morris Back Pain Questionnaire: part 2. Riddle DL, Stratford PW, Binkley JM. 1998;78:1197–1207.]

- Letter to the editor. Fritz JM. 1999;79:420–421.
- Author response. 1999;79:421–422.

The Sock Test for evaluating activity limitation in patients with musculoskeletal pain. Strand LI, Wie SL. 1999;79:136–145.

Treatment of neuropathic pain in a patient with diabetic neuropathy using transcutaneous electrical nerve stimulation applied to the skin of the lumbar region. Somers DL, Somers MF. 1999;79:767–775.

Parkinson Disease

Multiple system atrophy. Swan L, Dupont J. 1999;79:488–494.

[Variability in spatiotemporal gait characteristics over the course of the L-dopa cycle in people with advanced Parkinson disease. MacKay-Lyons M. 1998;78:1083–1094.]

- Correction. 1999;79:96.

Pediatrics

Development

Fetal and neonatal hand movement. Sparling JW, Van Tol J, Chescheir NC. 1999;79:24–39.

Evaluation

Effects of testing context on ball skill performance in 5-year-old children with and without developmental delay. Doty AK, McEwen IR, Parker D, Laskin J. 1999;79:818–826.

Head stability in walking in children with cerebral palsy and in children and adults without neurological impairment. Holt KG, Ratcliffe R, Jeng SF. 1999;79:1152–1162.

Kinematic and qualitative analysis of lower-extremity movements in preterm infants with orain lesions. van der Heide JC, Paolicelli PB, Boldrini A, Cioni G. 1999;79:546–557.

General

Battelle Developmental Inventory. Berls AT, McEwen IR. 1999;79:776–783.

Peripheral Nerve Lesions

Treatment of neuropathic pain in a patient with diabetic neuropathy using transcutaneous electrical nerve stimulation applied to the skin of the lumbar region. Somers DL, Somers MF. 1999;79:767–775.

Phototherapy

Laser

Bactericidal effect of 0.95-mW helium-neon and 5-mW indium-gallium-aluminum-phosphate laser irradiation at exposure times of 30, 60, and 120 seconds on photosensitized *Staphlyococcus aureus* and *Pseudomonas aeruginosa* in vitro. DeSimone NA, Christiansen C, Dore D. 1999;79:839–846.

- Correction. 1999;79:1082.

Low-intensity laser therapy for benign fibrotic lumps in the breast following reduction mammaplasty. Nussbaum EL. 1999;79:691–698.

Physical Therapy Profession

Patient Services

An analysis of the relationship between the utilization of physical therapy services and outcomes for patients with acute stroke. Freburger JK. 1999;79:906–918.

Professional Issues

Cause, prevalence, and response to occupational musculoskeletal injuries reported by physical therapists and physical therapist assistants. Holder NL, Clark HA, DiBlasio JM, et al. 1999;79:642–652.

- Letter to the editor. Hart DL. 1999; 79:1084, 1086.
- Author response. 1999;79:1086, 1088.

The clinical doctorate: a framework for analysis in physical therapist education. Threlkeld AJ, Jensen GM, Royeen CB. 1999;79:567–581.

- The clinical doctorate: the "best pathway"? [Introduction to letters to the editor: the DPT]. Rothstein JM. 1999;79:978.
- Letter to the editor. Martin JL. 1999;79:979.
- Letter to the editor. Quarrier NF. 1999;79:979.
- Letter to the editor. Tippett S. 1999;79:979–980.
- Letter to the editor. Tasso K. 1999;79:980–981.
- Letter to the editor. Herrick A. 1999;79:981.
- Letter to the editor. Brennan K. 1999;79:981.
- Letter to the editor. Messaros A. 1999;79:981–982.
- Letter to the editor. Mandich MB. 1999;79:982–985.
- Author response. 1999;79:986–990.
- Clarification. 1999;79:987.
- Letter to the editor. Thomas MW. 1999;79:1082.
- Editor's response. 1999;79:1082, 1084.
- Letter to the editor. Galver J. 1999;79:1084.

Editor's Note: The future we want; the future we get. Rothstein JM. 1999;79:544–545.

- Letter to the editor. Tippett S. 1999;79:979–980.
- Letter to the editor. Tasso K. 1999;79:980–981.

Editor's Note: Section reorganization redux. Rothstein JM. 1999;79:736–737.

Hospital restructuring and the changing nature of the physical therapist's role. Lopopolo RB. 1999;79:171–185.

Status of the year 2000 health goals for physical activity and fitness. Francis KT. 1999;79:405–414.

Posture

General

Postural synergies associated with a stepping task. Mercer VS, Sahrmann SA. 1999;79:1141–1151.

Tests and Measurements

Effect of positioning on recorded lung sound intensities in subjects without pulmonary dysfunction. Jones A, Jones RD, Kwong K, Burns Y. 1999;79:682–690.

Effects of side lying on lung function in older individuals. Manning F, Dean E, Ross J, Abboud RT. 1999;79:456–466.

Professional-Patient Relations

Toward sensitive practice: issues for physical therapists working with survivors of childhood sexual abuse. Schachter CL, Stalker CA, Teram E. 1999;79:248–261.

- Conference. Rothstein JM, Clark TJ, McComas J, Potter C. 1999;79:262–268.
- Author comment. 1999;79:269.

Pulmonary

General

Cough threshold in people with spinal cord injuries. Lin KH, Lai YL, Wu HD, et al. 1999;79:1026–1031.

Tests and Measurements

Cardiopulmonary responses of middle-aged men without cardiopulmonary disease to steady-rate positive and negative work performed on a cycle ergometer. Chung F, Dean E, Ross J. 1999;79:476–487.

Effect of positioning on recorded lung sound intensities in subjects without pulmonary dysfunction. Jones A, Jones RD, Kwong K, Burns Y. 1999;79:682–690.

Effects of side lying on lung function in older individuals. Manning F, Dean E, Ross J, Abboud RT. 1999;79:456–466.

R

Rehabilitation

An application of upper-extremity constraint-induced movement therapy in a patient with subacute stroke. Blanton S, Wolf SL. 1999;79:847–853.

Reliability of scores on the Stroke Rehabilitation Assessment of Movement (STREAM) measure. Daley K, Mayo N, Wood-Dauphinée S. 1999;79:8–23.

Research

Statistical inference by confidence intervals: issues of interpretation and utilization. Sim J, Reid N. 1999;79:186–195.

Roentgenography

Use of computed tomography and plantar pressure measurement for management of neuropathic ulcers in patients with diabetes. Mueller MJ, Smith KE, Commean PK, et al. 1999;79:296–307.

S

Spinal Cord Dysfunction

General

Cough threshold in people with spinal cord injuries. Lin KH, Lai YL, Wu HD, et al. 1999;79:1026–1031.

Energy cost of propulsion in standard and ultralight wheelchairs in people with spinal cord injuries. Beekman CE, Miller-Porter L, Schoneberger M. 1999;79:146–158.

T

Tests and Measurements

Functional

Effects of testing context on ball skill performance in 5-year-old children with and without developmental delay. Doty AK, McEwen IR, Parker D, Laskin J. 1999;79:818–826.

Establishing the reliability and validity of measurements of walking time using the Emory Functional Ambulation Profile. Wolf SL, Catlin PA, Gage K, et al. 1999;79:1122–1132.

Four clinical tests of sacroiliac joint dysfunction: the association of test results with innominate torsion among patients with and without low back pain. Levangie PK. 1999;79:1043–1057.

The Lower Extremity Functional Scale (LEFS): scale development, measurement properties, and clinical application. Binkley JM, Stratford PW, Lott SA, et al. 1999;79:371–383.

[Sensitivity to change of the Roland-Morris Back Pain Questionnaire: part 1. Stratford PW, Binkley JM, Riddle DL, Guyatt GH. 1998;78:1186–1196.]

- Letter to the editor. Fritz JM. 1999;79:420–421.
- Author response. 1999;79:421–422.

[Sensitivity to change of the Roland-Morris Back Pain Questionnaire: part 2. Riddle DL, Stratford PW, Binkley JM. 1998;78:1197–1207.]

- Letter to the editor. Fritz JM. 1999;79:420–421.
- Author response. 1999;79:421–422.

The Sock Test for evaluating activity limitation in patients with musculoskeletal pain. Strand LI, Wie SL. 1999;79:136–145.

General

Accuracy of digitization using automated and manual methods. Wilson DJ, Smith BK, Gibson JK, et al. 1999;79:558–566.

Battelle Developmental Inventory. Berls AT, McEwen IR. 1999;79:776–783.

Development of the Physical Therapy Outpatient Satisfaction Survey (PTOPS). Roush SE, Sonstroem RJ. 1999;79:159–170.

Interpreting validity indexes for diagnostic tests: an illustration using the Berg Balance Test. Riddle DL, Stratford PW. 1999;79:939–948.

Measurement of sacroiliac joint dysfunction: a multicenter intertester reliability study. Freburger JK, Riddle DL. 1999;79:1133–1140.

Reliability of scores on the Stroke Rehabilitation Assessment of Movement (STREAM) measure. Daley K, Mayo N, Wood-Dauphinée S. 1999;79:8–23.

Statistical inference by confidence intervals: issues of interpretation and utilization. Sim J, Reid N. 1999;79:186–195.

Transcutaneous Electrical Nerve Stimulation

Treatment of neuropathic pain in a patient with diabetic neuropathy using transcutaneous electrical nerve stimulation applied to the skin of the lumbar region. Somers DL, Somers MF. 1999;79:767–775.

U

Upper Extremity

General

An application of upper-extremity constraint-induced movement therapy in a patient with subacute stroke. Blanton S, Wolf SL. 1999;79:847–853.

Hand and Wrist

Fetal and neonatal hand movement. Sparling JW, Van Tol J, Chescheir NC. 1999;79:24–39.

V

Vascular Disease

Diagnosis of intermittent vascular claudication in a patient with a diagnosis of sciatica. Gray JC. 1999;79:582–590.

Vestibular System

Visual-vestibular habituation and balance training for motion sickness. Rine RM, Schubert MC, Balkany TJ. 1999;79:949–957.

W

Wound Care

Bactericidal effect of 0.95-mW helium-neon and 5-mW indium-gallium-aluminum-phosphate laser irradiation at exposure times of 30, 60, and 120 seconds on photosensitized *Staphlyococcus aureus* and *Pseudomonas aeruginosa* in vitro. DeSimone NA, Christiansen C, Dore D. 1999;79:839–846.

- Correction. 1999;79:1082.